Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: C

In accordance with standards:

EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG_2456.2024

10.12.2024

Niviuk Gliders / Air Games S.L.

Artik 7 P 20

ARTIK7P320E2

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	75	Range of speed system [cm]	15.1
Minimum weight in flight [kg]	55	Speed range using brakes [km/h]	12
Glider's weight [kg]	3.2	Total speed range with accessories [km/h]	26
Number of risers	3+1	Range of trimmers [cm]	n/a
Projected area [m²]	17.31		
Harness used for testing (max	weight)	Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Woody Valley srl		
Harness model	Wani Light 2 M	Person or company having presented the	
Harness to risers distance [cm]	43	glider for testing: None	
Distance between risers [cm]	43		

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: C

In accordance with standards:

EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20
Date of issue (DMY):

Date of issue (Divi).

Manufacturer:

Serial number:

Model:

PG_2445.2024

10.12.2024

Niviuk Gliders / Air Games S.L.

Artik 7 P 22

ARTIK7P22

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	85	Range of speed system [cm]	17.3
Minimum weight in flight [kg]	65	Speed range using brakes [km/h]	12
Glider's weight [kg]	3.3	Total speed range with accessories [km/h]	26
Number of risers	3+1	Range of trimmers [cm]	n/a
Projected area [m²]	18.59		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Advance Thun AG		
Harness model	Success 4 M	Person or company having presented the	
Harness to risers distance [cm]	43	glider for testing: None	
Distance between risers [cm]	44		

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: C

In accordance with standards:

EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20 Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG_2446.2024

10.12.2024

Niviuk Gliders / Air Games S.L.

Artik 7 P 23

ARTIK7P223

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	95	Range of speed system [cm]	17.1
Minimum weight in flight [kg]	75	Speed range using brakes [km/h]	12
Glider's weight [kg]	3.5	Total speed range with accessories [km/h]	26
Number of risers	3+1	Range of trimmers [cm]	n/a
Projected area [m²]	19.61		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Advance Thun AG		
Harness model	Success 4 M	Person or company having presented the	
Harness to risers distance [cm]	43	glider for testing: None	
Distance between risers [cm]	44		

10 11 12 13 14 15 19 20 21 22 23 18

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





PG_2457.2024

10.12.2024

Classification: C

In accordance with standards:

EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20
Date of issue (DMY):

Date of locae (Birr)

Manufacturer: Niviuk Gliders / Air Games S.L.

Model: Artik 7 P 24

Serial number: ARTIK7P24324

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	105	Range of speed system [cm]	17.3
Minimum weight in flight [kg]	85	Speed range using brakes [km/h]	12
Glider's weight [kg]	3.6	Total speed range with accessories [km/h]	26
Number of risers	3+1	Range of trimmers [cm]	n/a
Projected area [m²]	20.89		
Harness used for testing (max	weight)	Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Advance Thun AG		
Harness model	Success 4 M	Person or company having presented the	
Harness to risers distance [cm]	43	glider for testing: None	
Distance between risers [cm]	48		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 B A A C A A A B B A A A B B A A B B A O

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Niviuk Gliders / Air Games S.L.

PG_2463.2024

10.12.2024

Classification: C

In accordance with standards:

EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20
Date of issue (DMY):

Manufacturer:

Model: Artik 7 P 26

Serial number: ARTIK7P326

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	115	Range of speed system [cm]	17.7
Minimum weight in flight [kg]	95	Speed range using brakes [km/h]	12
Glider's weight [kg]	3.7	Total speed range with accessories [km/h]	26
Number of risers	3+1	Range of trimmers [cm]	n/a
Projected area [m ²]	22.17		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Niviuk		
Harness model	Makan L	Person or company having presented the	
Harness to risers distance [cm]	41	glider for testing: None	
Distance between risers [cm]	48		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 **B A B A A A A A C B A A B B A A A A O B B A O**

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: C

In accordance with standards:

EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG_2464.2024

23.01.2025

Niviuk Gliders / Air Games S.L.

Artik 7 P 28

ARTIK7P3282

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	125	Range of speed system [cm]	17.6
Minimum weight in flight [kg]	105	Speed range using brakes [km/h]	12
Glider's weight [kg]	3.9	Total speed range with accessories [km/h]	26
Number of risers	3+1	Range of trimmers [cm]	n/a
Projected area [m²]	23.45		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Niviuk		
Harness model	Makan L	Person or company having presented the	
Harness to risers distance [cm]	41	glider for testing: None	
Distance between risers [cm]	48		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 **B A B B A A A A C B A A B C A A A A O B B A O**