



Classification: A

In accordance with standards:

EN926-1:2015, EN926-2:2013+A1:2021
and NfL 2-565-20

PG_2323.2024

Date of issue (DMY):

10.01.2024

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

TARGET 20

Serial number:

WILCO20V21

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]	75
Minimum weight in flight [kg]	40
Glider's weight [kg]	3.6
Number of risers	3+1
Projected area [m ²]	17.58

Accessories

Range of speed system [cm]	13.9
Speed range using brakes [km/h]	14
Total speed range with accessories [km/h]	22
Range of trimmers [cm]	0

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Supair s.a.s.
Harness model	Altiplume M
Harness to risers distance [cm]	43
Distance between risers [cm]	40

Inspections (whichever happens first)

Every 2 years or every 100 flight hours

Person or company having presented the glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A 0



Classification: A

In accordance with standards:

EN926-1:2015, EN926-2:2013+A1:2021
and NfL 2-565-20

PG_2324.2024

Date of issue (DMY):

10.01.2024

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

TARGET 22

Serial number:

WILCO22V21

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]	85
Minimum weight in flight [kg]	55
Glider's weight [kg]	3.8
Number of risers	3+1
Projected area [m ²]	19.34

Accessories

Range of speed system [cm]	12.9
Speed range using brakes [km/h]	14
Total speed range with accessories [km/h]	22
Range of trimmers [cm]	0

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Advance Thun AG
Harness model	Success 4 M
Harness to risers distance [cm]	43
Distance between risers [cm]	44

Inspections (whichever happens first)

Every 2 years or every 100 flight hours

Person or company having presented the glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A 0



Classification: A

In accordance with standards:
EN926-1:2015, EN926-2:2013+A1:2021
and NfL 2-565-20

PG_2325.2024

Date of issue (DMY):

10.01.2024

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

TARGET 24

Serial number:

WILKO224

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]	95
Minimum weight in flight [kg]	65
Glider's weight [kg]	4
Number of risers	3+1
Projected area [m ²]	21.09

Accessories

Range of speed system [cm]	13.1
Speed range using brakes [km/h]	14
Total speed range with accessories [km/h]	22
Range of trimmers [cm]	0

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Advance Thun AG
Harness model	Success 4 M
Harness to risers distance [cm]	43
Distance between risers [cm]	44

Inspections (whichever happens first)

Every 2 years or every 100 flight hours

Person or company having presented the glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A 0



Classification: A

In accordance with standards:
EN926-1:2015, EN926-2:2013+A1:2021
and NfL 2-565-20

PG_2326.2024

Date of issue (DMY):

10.01.2024

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

TARGET 26

Serial number:

WILKO226

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]	105
Minimum weight in flight [kg]	75
Glider's weight [kg]	4.3
Number of risers	3+1
Projected area [m ²]	22.85

Accessories

Range of speed system [cm]	13.3
Speed range using brakes [km/h]	14
Total speed range with accessories [km/h]	22
Range of trimmers [cm]	0

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Advance Thun AG
Harness model	Success 4 M

Inspections (whichever happens first)

Every 2 years or every 100 flight hours

Harness to risers distance [cm]	43
Distance between risers [cm]	48

Person or company having presented the glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A 0



Classification: A

In accordance with standards:

EN926-1:2015, EN926-2:2013+A1:2021
and NfL 2-565-20

PG_2327.2024

Date of issue (DMY):

10.01.2024

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

TARGET 28

Serial number:

WILKO228

Configuration during flight tests

Paraglider

Maximum weight in flight [kg]	120
Minimum weight in flight [kg]	90
Glider's weight [kg]	4.6
Number of risers	3+1
Projected area [m ²]	24.61

Accessories

Range of speed system [cm]	13.4
Speed range using brakes [km/h]	14
Total speed range with accessories [km/h]	22
Range of trimmers [cm]	0

Harness used for testing (max weight)

Harness type	ABS
Harness brand	Supair s.a.s.
Harness model	Evo XC 3 L
Harness to risers distance [cm]	44
Distance between risers [cm]	48

Inspections (whichever happens first)

Every 2 years or every 100 flight hours

Person or company having presented the glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A 0



Classification: A

In accordance with standards:
EN926-1:2015, EN926-2:2013+A1:2021
and NfL 2-565-20

PG_2328.2024

Date of issue (DMY):

10.01.2024

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

TARGET 30

Serial number:

WILKO230

Configuration during flight tests

Paraglider

Maximum weight in flight [kg] **135**
 Minimum weight in flight [kg] **105**
 Glider's weight [kg] **4.9**
 Number of risers **3+1**
 Projected area [m²] **26.37**

Accessories

Range of speed system [cm] **13.2**
 Speed range using brakes [km/h] **14**
 Total speed range with accessories [km/h] **22**
 Range of trimmers [cm] **0**

Harness used for testing (max weight)

Harness type **ABS**
 Harness brand **Supair s.a.s.**
 Harness model **Evo XC 3 L**

Inspections (whichever happens first)

Every 2 years or every 100 flight hours

Harness to risers distance [cm] **44**
 Distance between risers [cm] **48**

Person or company having presented the
glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23
A 0