Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Niviuk Gliders / Air Games S.L.

PG_2581.2025

23.07.2025

Classification: C

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021

and NfL 2024-2-785
Date of issue (DMY):

Manufacturer:

. . . .

Model: Artik R2 20

Serial number: ARTIKR24.220

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	75	Range of speed system [cm]	14.4
Minimum weight in flight [kg]	60	Speed range using brakes [km/h]	13
Glider's weight [kg]	4.1	Total speed range with accessories [km/h]	31
Number of risers	2+1	Range of trimmers [cm]	n/a
Projected area [m²]	16.76		
Harness used for testing (m	nax weight)	Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Supair s.a.s.		
Harness model	ALTIRANDO Lite 2 S	Person or company having presented the	
Harness to risers distance [cr	n] 40	glider for testing: None	
Distance between risers [cm]	44		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 **C A B C A A A B C A A B C A A B O B B A O**

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: C

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021

and NfL 2024-2-785
Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG_2554.2025

24.06.2025

Niviuk Gliders / Air Games S.L.

Artik R2 21

ARTIKR24221

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	85	Range of speed system [cm]	16.1
Minimum weight in flight [kg]	70	Speed range using brakes [km/h]	13
Glider's weight [kg]	4.2	Total speed range with accessories [km/h]	31
Number of risers	2+1	Range of trimmers [cm]	n/a
Projected area [m²]	17.97		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Niviuk		
Harness model	Makan M	Person or company having presented the	
Harness to risers distance [cm]	41	glider for testing: None	
Distance between risers [cm]	44		

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: C

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021

and NfL 2024-2-785
Date of issue (DMY):

N 1 - - - . . . - - + . . . - - . . .

Manufacturer:

Model:

Serial number:

PG_2552.2025

24.06.2025

Niviuk Gliders / Air Games S.L.

Artik R2 23

ARTIKR242231

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	95	Range of speed system [cm]	16.1
Minimum weight in flight [kg]	80	Speed range using brakes [km/h]	13
Glider's weight [kg]	4.5	Total speed range with accessories [km/h]	31
Number of risers	2+1	Range of trimmers [cm]	n/a
Projected area [m²]	19.26		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Niviuk		
Harness model	Makan M	Person or company having presented the	
Harness to risers distance [cm]	41	glider for testing: None	
Distance between risers [cm]	44		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 C A B C A A A A B C A A B C A A B O B B A O

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: C

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021

and NfL 2024-2-785

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG_2555.2025

24.06.2025

Niviuk Gliders / Air Games S.L.

Artik R2 24

ARTIKR24224

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	105	Range of speed system [cm]	16.1
Minimum weight in flight [kg]	90	Speed range using brakes [km/h]	13
Glider's weight [kg]	4.7	Total speed range with accessories [km/h]	31
Number of risers	2+1	Range of trimmers [cm]	n/a
Projected area [m²]	20.54		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Niviuk		
Harness model	Makan M	Person or company having presented the	
Harness to risers distance [cm]	41	glider for testing: None	
Distance between risers [cm]	48		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 C \triangle R C \triangle \triangle \triangle A \triangle R C \triangle \triangle A R C \triangle A R C \triangle A R O R R \triangle O

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: C

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021

and NfL 2024-2-785

Date of issue (DMY):

Manufacturer:

Model: Serial number: PG_2582.2025

23.07.2025

Niviuk Gliders / Air Games S.L.

Artik R2 25

ARTIKR24.225

Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	115	Range of speed system [cm]	16
Minimum weight in flight [kg]	100	Speed range using brakes [km/h]	13
Glider's weight [kg]	5	Total speed range with accessories [km/h]	31
Number of risers	2+1	Range of trimmers [cm]	n/a
Projected area [m ²]	21.83		
Harness used for testing (max v	weight)	Inspections (whichever happens first)	
Harness type	ABS	every 100 hours of use or every 24 months	
Harness brand	Woody Valley srl		
Harness model	NAOS XL	Person or company having presented the	
Harness to risers distance [cm]	45	glider for testing: None	
Distance between risers [cm]	48		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 C A B C A A A A B C A A A C A A A B O B A A O

Route du Pré-au-Compte 8 * CH-1844 Villeneuve * +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: C

In accordance with standards:

EN 926-1:2015, EN 926-2:2013+A1:2021

and NfL 2024-2-785

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG_2589.2025

23.07.2025

Niviuk Gliders / Air Games S.L.

Artik R2 27

ARTIKR24.227

Configuration during flight tests

	Accessories	
125	Range of speed system [cm]	16.6
110	Speed range using brakes [km/h]	13
5.2	Total speed range with accessories [km/h]	31
2+1	Range of trimmers [cm]	n/a
23.11		
veight)	Inspections (whichever happens first)	
ABS	every 100 hours of use or every 24 months	
Woody Valley srl		
Wani Light 2 L	Person or company having presented the	
43	glider for testing. Notice	
48		
	110 5.2 2+1 23.11 veight) ABS Woody Valley srl Wani Light 2 L	125 Range of speed system [cm] 110 Speed range using brakes [km/h] 5.2 Total speed range with accessories [km/h] 2+1 Range of trimmers [cm] 23.11 veight) Inspections (whichever happens first) every 100 hours of use or every 24 months Woody Valley srl Wani Light 2 L Person or company having presented the glider for testing: None

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 C A B C A A A B C A A B C A A B C B B A O